

GOVERNMENT OF ODISHA  
HIGHER EDUCATION

No. 202469785168 / Dt. 05/03/2025

File No. HE-IT-UC-0001-2025

Issue No. 12655 Dated 05.03.2025

To,

The Accountant General ( A&E ), Odisha , Bhubaneswar.

Sub:

Sanction of funds for "Disbursement of funds to Non-Government Aided colleges for the upgrading of IT infrastructure." during the year 2024 - 2025.

Sir/Madam,

I am directed to convey the sanction of the Governor to an expenditure of Rs. 361250000 ( Thirty Six Crore Twelve Lakh Fifty Thousand Only./- ) as per the statement enclosed at Annexure-I for Disbursement of funds to Non-Government Aided colleges for the upgrading of IT infrastructure. during the year 2024 - 2025.

The charge is debitale to 38--Demand Number for Higher Education Department-2202-GENERALEDUCATION-80-800-OTHEREXPENDITURE-3104-Information&E-Governance-78047-000-InformationandTechnology-21-SSS-1-Voted-1-State Sector in the budget estimate for the year 2024 - 2025. No diversion of funds from one primary unit to other shall be made without prior approval of HIGHER EDUCATION DEPARTMENT

The Drawing and Disbursing officer (DDO) and the Drawing Treasury for the funds sanctioned herein shall be as per the details mentioned in Annexure-I.

The Financial Rules,Procedures and formalities ashould be strictly followed while incurring expenditure.

This has been concurred in by Higher Education Department.

Signature  
FA-cum-Special Secretary to Government Higher  
Education Department

Specific Terms and Conditions:

1. The sanctioned amount shall be utilized for upgrading their IT infrastructure by procuring Desktop Computers, Uninterruptible Power Supply (UPS) systems, Multifunction Printers (MFM), LED TVs (65-inch), Wireless Mice Cameras for Virtual Meetings and Internet Facilities.
2. The quantities and detailed specifications of the IT items to be purchased has been attached at Annexure-B.
3. While procuring the above items, OGFR-2023 Guideline shall be followed.
4. Utilization certificates in respect of the above shall be furnished by 30.06.2025 .

## Annexure - I

| Sl. No | Drawing treasury                              | DDO Code  | DDO Designation                                            | Amount (In Rs.) | Remarks |
|--------|-----------------------------------------------|-----------|------------------------------------------------------------|-----------------|---------|
| 1      | Bhubaneswar Special Treasury No II OLA Campus | OLSEDU001 | Under Secy to Govt Higher Education Department Bhubaneswar | 361250000       |         |
| Total: |                                               |           |                                                            | 361250000       |         |

Memo Number 12656 , Date 05.03.2025

Copy forwarded to ACCOUNTANT GENERAL(CIVIL AUDIT-I), ODISHA for information and necessary action.

FA-cum-Special Secretary to Government  
Higher Education DepartmentMemo Number 12657 , Date 05.03.2025

Copy forwarded to TREASURY OFFICER, SPECIAL TREASURY NO II OLA CAMPUS, BHUBANESWAR for information and necessary action.

FA-cum-Special Secretary to Government  
Higher Education DepartmentMemo Number 12658 , Date 05.03.2025

Copy forwarded to ACCOUNT SECTION, HIGHER EDUCATION DEPARTMENT for information and necessary action. It requested to draw and disburse the sanction amount among 648 Colleges as per the attached list at Annexure-A.

FA-cum-Special Secretary to Government  
Higher Education DepartmentMemo Number 12659 , Date 05.03.2025

Copy forwarded to BUDGET &amp; FINANCE SECTION for information and necessary action.

FA-cum-Special Secretary to Government  
Higher Education Department

Validity unknownSignature valid

Digitally Signed  
 Name: MANORANJAN NAYAK  
 Date: 05/03/2025 6:55 PM  
 Reason: D-Signature Department Approver  
 Location: IFMS(ODISHA)

Generated By: Manoranjan nayak

05/03/2025 6:55 PM

Memo Number 12660 Date 05.03.2025

Copy forwarded to NCNE SECTION for information and necessary action. They will ensure that the colleges utilize the sanctioned fund for the intended purpose by seeking Utilization Certificate from the colleges by 30.06.2025.

FA-cum-Special Secretary to Government  
Higher Education Department

Memo Number 12661 Date 05.03.2025

Copy forwarded to THE PRINCIPLE OF THE CONCERN COLLEGES for information and necessary action.

FA-cum-Special Secretary to Government  
Higher Education Department

Memo No- 12745/HE, Dt. 6.3.2025

Copy along with the enclosures forwarded to All Regional Directors of Education information and necessary action.

They are requested to provide the Bank Accounts Details of Colleges to the Department where such information is not already mentioned in list.

FA-cum-Special Secretary to Government

Validity unknownSignature valid

Digitally Signed  
Name: MANORANJAN K YAK  
Date: 05-Mar-2025 10:08  
Reason: D-Sign Department Approver  
Location: IFMS(Odisha)

## ANNEXURE - B

### Quantities and Specifications of IT items to be purchased

| Sl.No | Non-Govt. Aided Colleges                                               | Nos of College | Amount to be released (in lakhs) | Detail calculation                                                                                                                                                                                                                                                     | Total Amount (in lakhs) |
|-------|------------------------------------------------------------------------|----------------|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| 1     | No of No Govt. Aided Colleges having student's strength more than 750  | 199            | 8                                | 1.13 and above Desktop @50000*12=6 Lakh<br>2. UPS@3000*12=36000 lakh<br>3. MFM Printer@30000 *2=60000<br>4.1 LED Tv (65 inch) @0.70= 70000<br>5. Wireless mice & Camera for Virtual meeting = 25000<br>6. Internet Facility:-20,000/-<br><b>Total=8.11 Lakh</b>        | 1592                    |
| 2     | No of Non-Govt. Aided Colleges having student's strength less than 750 | 449            | 4.5                              | 1.13 and above Desktop @50000*6=3.0 Lakh<br>2. UPS@3000*6=18000 t<br>3. MFM Printer@30000*2=0.60 Lakh<br>4.1 LED Tv(65 inch)@70000=.70 Lakh<br>5.Wire less Mice & Camera with MIC for Virtual meeting = 25000<br>6. Internet facility=20000<br><b>Total =4.93 Lakh</b> | 2020.5                  |
|       |                                                                        | 648            |                                  |                                                                                                                                                                                                                                                                        | 3612.5                  |



## Desktop Specification

| Items                                                     | Specification                                                                                                                                                                                                                                                                    |
|-----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cabinet Form Factor                                       | Tower/Micro Tower (15.1 to 26 Litres)                                                                                                                                                                                                                                            |
| Chipset Number                                            | Intel H670/Intel® H770 or higher Chipset                                                                                                                                                                                                                                         |
| Processor Make                                            | Intel                                                                                                                                                                                                                                                                            |
| Processor                                                 | x86 64-bit architecture                                                                                                                                                                                                                                                          |
| Processor Generation                                      | 13 Or higher                                                                                                                                                                                                                                                                     |
| Processor Description                                     | Intel Core i3 or higher                                                                                                                                                                                                                                                          |
| Processor Number                                          | Intel Core i3 13100 or higher                                                                                                                                                                                                                                                    |
| Number of Cores and Threads per Processor                 | Max Turbo Frequency 4.5Ghz, Minimum 4 Cores and 8 Threads or higher                                                                                                                                                                                                              |
| Operating System                                          | Windows 11 Home Factory Preloaded                                                                                                                                                                                                                                                |
| RAM Size (GB)                                             | DDR-4 8GB 3200 (16 X1) or higher (2 DIMM Slots)                                                                                                                                                                                                                                  |
| RAM Expandability up to (using spare DIMM Slots in GB)    | 64 GB or higher                                                                                                                                                                                                                                                                  |
| Integrated Graphics                                       | Intel UHD Graphics 770 or higher                                                                                                                                                                                                                                                 |
| Supported for discrete NVIDIA/AMD Graphics Card up to 6GB | Yes                                                                                                                                                                                                                                                                              |
| Type of Drives used to populate the Internal Bays         | NVMe SSD                                                                                                                                                                                                                                                                         |
| Total HDD Capacity (GB)                                   | NA                                                                                                                                                                                                                                                                               |
| Total SSD Capacity (GB)                                   | 512GB NVMe SSD                                                                                                                                                                                                                                                                   |
| Optical Drive                                             | Optional                                                                                                                                                                                                                                                                         |
| Drive Bays                                                | Two 3.5" (2.5") HDD                                                                                                                                                                                                                                                              |
| Slots for Upgradation                                     | 1 PCI Express 4.0 x16,<br>1 PCI Express 3.0 x1,<br>1 PCI (Full Height),<br>2 M.2 slots for WLAN & SSD                                                                                                                                                                            |
| LAN                                                       | LAN: Integrated 10/100/1000M                                                                                                                                                                                                                                                     |
| Ports and Connectors                                      | Front: 1 headphone/microphone combo; 3 Super Speed USB 5Gbps signalling rate; 2 SuperSpeed USB 10 Gbps signalling rate; 1 USB Type-C, total 6nos USB in front for easy access<br>Rear: 1 HDMI; 1 Serial Port; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 DP; 2 USB 2.0 |
| Firmware Trusted Platform Module                          | TPM 2.0                                                                                                                                                                                                                                                                          |
| Hardware Security lock slot                               | Security lock slot                                                                                                                                                                                                                                                               |
| Power Supply                                              | 180-260Watt Internal power supply with minimum 90% efficiency                                                                                                                                                                                                                    |
| Certification                                             | Bidder should submit OEM bid specific authorization & the same authorization may be verified by the respective OEM if required.                                                                                                                                                  |
|                                                           | OEM must have the ISO 9001,14001, ISO 20001, ISO 27001 Certificate                                                                                                                                                                                                               |
|                                                           | Microsoft Windows, Energy star 8.0 certified                                                                                                                                                                                                                                     |
|                                                           | Bidder should submit BIS, BEE, EPEAT, UL, RoHS Certificate of products at the time of participation of the Bid.                                                                                                                                                                  |
| Keyboard Mouse                                            | USB Keyboard; USB Optical Mouse                                                                                                                                                                                                                                                  |
| Monitor                                                   | 19.5" LED Display with CTO Certified and same must be belongs to the same OEM                                                                                                                                                                                                    |
| Years of Warranty                                         | 3 Year Onsite Warranty                                                                                                                                                                                                                                                           |

| 600 VA Line Interactive UPS Specifications |                                         |                                                                                                                                                         |
|--------------------------------------------|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sl. No.                                    | Feature                                 | General Specifications                                                                                                                                  |
| 1                                          | UPS Capacity (total)                    | 600VA/360W                                                                                                                                              |
| 2                                          | Input Voltage                           | 230 VAC nominal                                                                                                                                         |
| 3                                          | Input Frequency                         | 45 – 65 Hz                                                                                                                                              |
| 4                                          | Brownout Transfer                       | 145 VAC typical                                                                                                                                         |
| 5                                          | Over-voltage Transfer                   | 290 VAC typical                                                                                                                                         |
| 6                                          | Voltage on Battery                      | 230 VAC typical (stepped approximated sine wave)                                                                                                        |
| 7                                          | Frequency – On Battery                  | 50Hz typical                                                                                                                                            |
| 8                                          | Transfer Time                           | @50 Hz : 6 ms typical, 10 ms max                                                                                                                        |
| 9                                          | Air Ventilation                         | Should have Side and Back Honey bee Perforation for heat dispersion                                                                                     |
| 10                                         | Protection from Humidity & Dust         | UPS Should have conformal paint coating on PCB for Insulation for Dust and Humidity                                                                     |
| 11                                         | Battery Saver Option                    | UPS Should have Battery Saver Option to increase the life of the Battery upto 5 years                                                                   |
| 12                                         | No Load Shutdown                        | UPS Should work on loads of 2-3 watts also                                                                                                              |
| 13                                         | AC Surge Protection                     | Full time, 160 joules                                                                                                                                   |
| 14                                         | Automatic Re start of UPS               | In case the UPS backup is totally drained and automatic switched off, when the grid power resumes the UPS Should Auto Start without human interference. |
| 15                                         | Type (maintenance-free)                 | 12V, 7.2 Ah                                                                                                                                             |
| 16                                         | Typical recharge time                   | 4- 6 hours                                                                                                                                              |
| 17                                         | Operating Temperature                   | 0° C to 40° C                                                                                                                                           |
| 18                                         | Storage Temperature                     | -15° C to 45° C                                                                                                                                         |
| 19                                         | 3 power outlets                         | With battery backup and surge protection                                                                                                                |
| 20                                         | Power Cord                              | 1.2 meters                                                                                                                                              |
| 21                                         | Runtime for Single PC load (60W ± 15W)  | 27 min (normal mode)                                                                                                                                    |
| 22                                         | Runtime for Workstation PC (100W ±15W)  | 13 min (normal mode)                                                                                                                                    |
| 23                                         | Battery Saver (to save on battery life) | Thru toggle button on front panel                                                                                                                       |
| 24                                         | Certification                           | BIS                                                                                                                                                     |
| 25                                         | Designed and Manufactured in India      | Yes                                                                                                                                                     |
| 26                                         | Warranty                                | 2years                                                                                                                                                  |

| Generic                                                                                    |                                                                                                                |
|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| Description of Stores                                                                      | Multifunction Machine Printer with Minimum 1 Year On Site Warranty, including Cartridge and Power Cord/Adapter |
| Core Function                                                                              | Print, Scan and Copy                                                                                           |
| Print Technology                                                                           | Laser                                                                                                          |
| Cartridge Technology                                                                       | Composite Cartridge                                                                                            |
| Type of Printing                                                                           | Monochrome (Black)                                                                                             |
| RAM Size (MB)                                                                              | 256                                                                                                            |
| Storage Capacity (in GB)                                                                   | 0                                                                                                              |
| Features                                                                                   | Fax                                                                                                            |
| Operating System Compatibility                                                             | Windows 10 and Above, Linux, Mac OS, Windows Server                                                            |
| Printing                                                                                   |                                                                                                                |
| Print Paper Size                                                                           | A4 and Legal                                                                                                   |
| Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Monochrome (Black) (in PPM) | 26 to 30                                                                                                       |
| Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour (in PPM)             | Not Applicable                                                                                                 |
| Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Mono (in PPM)                     | Not Applicable                                                                                                 |
| Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Color (in PPM)                    | Not Applicable                                                                                                 |
| Auto Duplexing Printing/Coping (2-sided Feature)                                           | Yes                                                                                                            |
| Scanning                                                                                   |                                                                                                                |
| Maximum Scan Area (Platen/Flatbed Size)                                                    | A4 and Legal                                                                                                   |
| A4 Scan Speed -Colour (Image Per Minute) @ 300 x 300 dpi                                   | 11 to 20                                                                                                       |
| Scan To Functions                                                                          | Email                                                                                                          |
| A4 Scan Speed - Mono (Image Per Minute) @ 300 x 300 dpi                                    | 11 to 20                                                                                                       |
| COPYING                                                                                    |                                                                                                                |
| Reduction and Enlargement Feature                                                          | Yes                                                                                                            |



| PAPER HANDLING                                                                                                                                     |                                         |
|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|
| Original Document Feeder Type<br>(For Scanning and Copying)                                                                                        | Automatic Document Feeders (ADF)        |
| Feeder Capacity (Number of Sheets) (For Scanning and Copying)                                                                                      | 31 to 40                                |
| Number of Main Paper Tray                                                                                                                          | 1                                       |
| Total Paper Tray Combined Capacity (Number) at 75 GSM                                                                                              | 101 to 200                              |
| Bypass Tray Facility                                                                                                                               | No                                      |
| If Yes, Bypass Tray Capacity                                                                                                                       | 0                                       |
| Connectivity                                                                                                                                       |                                         |
| Connectivity                                                                                                                                       | USB Port, Ethernet Port, Wi-Fi          |
| Accessories Provided                                                                                                                               | USB Cable                               |
| Performance                                                                                                                                        |                                         |
| Minimum Yield of the Cartridge/Ink/Toner supplied with Machine as per IS/ISO/IEC: 19752/2017 for Black (Number of Prints)                          | 700                                     |
| Minimum Yield of the Cartridge/Ink/Toner Supplied with Machine as per IS/ISO/IEC: 19798:2017 for Cyan, Yellow and Magenta Color (Number of Prints) | 0                                       |
| Minimum Duty Cycle (Number of Prints/Month)                                                                                                        | 10,001 to 20,000                        |
| POWER                                                                                                                                              |                                         |
| Power Supply                                                                                                                                       | Single Phase AC 220 - 240 V, 50 - 60 Hz |
| Maximum Power Consumption (in Watt)                                                                                                                | 1300                                    |
| Environmental                                                                                                                                      |                                         |
| Minimum Operating Temperature (Degree C)                                                                                                           | 10                                      |
| Maximum Operating Temperature (Degree C)                                                                                                           | 30                                      |



|                                                                                                                |                              |
|----------------------------------------------------------------------------------------------------------------|------------------------------|
| Minimum Operating Humidity (%RH)                                                                               | 20                           |
| Maximum Operating Humidity (%RH)                                                                               | 80                           |
| Dimension                                                                                                      |                              |
| Standard Machine Weight with Single Tray (in Kg)                                                               | 11                           |
| Certification                                                                                                  |                              |
| BIS CRS Compliance                                                                                             | Yes as per IS 13252 (Part 1) |
| Maximum Number of Prints covered under Product warranty (Whichever is earlier)                                 | 30000                        |
| EPR Registration in respect of the manufacturer/authorised importer as per E waste rules as amended up to date | Yes                          |
| Agreed to Provide a copy of EPR Registration Certificate to the Buyer on Demand                                | Yes                          |

|                       |                                        |                                                                                                                                                                                                |
|-----------------------|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General Features      | Screen Size                            | 65                                                                                                                                                                                             |
|                       | Brightness (cd/m <sup>2</sup> )        | 350Nits or better                                                                                                                                                                              |
|                       | Contrast Ratio                         | 1200:1                                                                                                                                                                                         |
|                       | Dynamic Contrast Ratio                 | 400,000:1                                                                                                                                                                                      |
|                       | Response Time (ms)                     | 8.0                                                                                                                                                                                            |
|                       | Display resolution (H x V, pixels)     | 3840 x 2160                                                                                                                                                                                    |
|                       | HDR (High Dynamic Range) compatibility | Yes (HDR10, HLG)                                                                                                                                                                               |
|                       | Aspect Ratio                           | 16:9                                                                                                                                                                                           |
|                       | Portrait/Tilt Compatibility            | Yes                                                                                                                                                                                            |
| Display features      | Dimming type                           | Frame Dimming                                                                                                                                                                                  |
|                       | Display Device                         | LCD                                                                                                                                                                                            |
|                       | Panel Type                             | IPS                                                                                                                                                                                            |
|                       | Backlight type                         | Direct LED                                                                                                                                                                                     |
|                       | Color gamut (NTSC)                     | 69%                                                                                                                                                                                            |
|                       | Operation time                         | 16/7                                                                                                                                                                                           |
|                       | Haze (%)                               | 1 %                                                                                                                                                                                            |
|                       | Viewing Angle (Right/Left)             | 178 (89/89) degree                                                                                                                                                                             |
|                       | Viewing Angle (Up/Down)                | 178 (89/89) degree                                                                                                                                                                             |
|                       | HDMI Signal                            | 4096 x 2160p (24, 50, 60 Hz),<br>3840 x 2160p (24, 25, 30, 50,<br>60 Hz), 1080p (30, 50, 60 Hz),<br>1080/24p, 1080i (50, 60 Hz),<br>720p (30, 50, 60 Hz),<br>720/24p, 576p, 576i<br>480p, 480i |
| Audio Specs           | Speaker Position                       | Down Firing                                                                                                                                                                                    |
|                       | Audio Power Output                     | 10W + 10W                                                                                                                                                                                      |
| Professional features | Pro settings                           | Yes (Simple Pro settings menu)                                                                                                                                                                 |
|                       | HDMI auto wake-up                      | Yes                                                                                                                                                                                            |
|                       | Operating System                       | Android TV                                                                                                                                                                                     |
|                       | On-board Storage (GB)                  | 16GB                                                                                                                                                                                           |
|                       | RAM                                    | 3GB                                                                                                                                                                                            |
| Network Specs         | Wi-Fi Certified                        | Yes                                                                                                                                                                                            |
|                       | Wireless LAN                           | Integrated                                                                                                                                                                                     |
| Convenience features  | USB playback codecs                    | MPEG1:MPEG1/MPEG2<br>PS:MPEG2/MPEG2<br>WEBM:AV1/AC4/ogg/AAC                                                                                                                                    |
|                       | On Screen Clock                        | Yes                                                                                                                                                                                            |
|                       | Sleep Timer                            | Yes                                                                                                                                                                                            |
|                       | On/Off Timer                           | Yes                                                                                                                                                                                            |
|                       | Chromecast built-in                    | Yes                                                                                                                                                                                            |
|                       | Apple AirPlay                          | Yes                                                                                                                                                                                            |
| Control Specs         | IP Control                             | Yes                                                                                                                                                                                            |
|                       | RS-232C Control                        | Yes                                                                                                                                                                                            |
|                       | HDMI-CEC                               | Yes                                                                                                                                                                                            |
|                       | HDCP                                   | HDCP2.3 (for HDMI1/2/3)                                                                                                                                                                        |
|                       | Composite Video Input (s)              | 1 (Side, Mini jack)                                                                                                                                                                            |

|                    |                                           |                            |
|--------------------|-------------------------------------------|----------------------------|
| Inputs and outputs | HDMI inputs total                         | 3 (3Side)                  |
|                    | Analog Audio Input (s) (Total)            | 1 (Side Analog Conversion) |
|                    | Digital Audio Output (s)                  | 1 (Side)                   |
|                    | USB ports                                 | 2 (Side)                   |
|                    | Ethernet inputs                           | 1 (Side)                   |
| Design features    | VESA® Hole Pitch (W x H)                  | 300 x 300 mm               |
| Environment Specs  | Rated Power Consumption                   | 226W                       |
|                    | Power Consumption (in Standby)            | 0.5 W                      |
|                    | Dynamic Backlight Control                 | Yes                        |
|                    | Power Saving Mode / Back Light Off Mode   | Yes                        |
| Measurements       | Dimension of TV without Stand (W x H x D) | 1462 x 842 x 71 mm         |
|                    | Dimension of TV with Stand (W x H x D)    | 1462 x 912 x 338 mm        |
|                    | Dimension of Package Carton (W x H x D)   | 1588 x 965 x 184 mm        |
| Weight             | Weight of TV without Stand                | 20.4 kg                    |
|                    | Weight of TV with Stand                   | 21.3 kg                    |
|                    | Weight of Package Carton (Gross)          | 28 kg                      |



Shop By  
Category

Industrybuying

Search Products by title, sku, category, brand etc.



Login



Home / IT Security / Computer Accessories / WEBCAM / Logitech Master Series Graphite M

Share

Bulk Discount

Ships within 5 days

**Logitech Master Series Graphite MX Brio 4K  
Ultra Hd Web Camera, 960-001548**

Visit the Logitech Store

POWER BRAND

EMI starts at ₹2202/month. No Cost EMI available.  
EMI options

## AVAILABLE OFFERS

View Offers

- Get up to ₹4,000\* on a min. order value of ₹8,499. First-time @BT users only. T&C apply. [View](#)
- Get up to ₹3,500\* on a min. order value of ₹8,499. First-time B2B users only. T&C apply. [View](#)

## FEATURES

More Details

|                   |                                                                                      |
|-------------------|--------------------------------------------------------------------------------------|
| Country of Origin | Switzerland                                                                          |
| Connectivity      | USB-C to USB-C Cable                                                                 |
| Focus Type        | Advanced Autofocus                                                                   |
| Package Contains  | MX Brio, Mount Clip with Removable Adapter, USB-C to C 3.0 Cable, User Documentation |

[More Logitech WEBCAM products](#)  
[More WEBCAM products](#)
  
**Warranty as per brand**
  
**100% Original Products**
  
**Secure payments**
  
**100% Buyer protection**
  
**Top Brands**

## SPECIFICATIONS

## DESCRIPTION

|                   |                                                                                      |
|-------------------|--------------------------------------------------------------------------------------|
| Country of Origin | Switzerland                                                                          |
| Connectivity      | USB-C to USB-C Cable                                                                 |
| Focus Type        | Advanced Autofocus                                                                   |
| Package Contains  | MX Brio, Mount Clip with Removable Adapter, USB-C to C 3.0 Cable, User Documentation |
| Microphone Type   | Dual Beamforming                                                                     |
| Width             | 98 mm                                                                                |
| Zoom              | 4x Digital Zoom                                                                      |
| Type of Product   | Web Camera                                                                           |
| Part No           | MXB8004KORPT                                                                         |
| Height            | 44 mm                                                                                |
| Weight            | 137 g                                                                                |
| Lens Type         | Glass                                                                                |
| Interface         | USB 3.0                                                                              |
| Color             | Graphite                                                                             |
| Resolution        | 4K/30 fps, 1080p/60 fps                                                              |
| Image Sensor      | 8.5 MP Sony STARVIS                                                                  |
| Model No          | 960-001548                                                                           |

₹24,779 (Incl. of all taxes)

**₹20,999** • 15% OFF

MRP ₹24,999 0.86% OFF

 - 1 +  
 Minimum Order Quantity: 1

## Bulk quantity Discounts!!

| Select                | Quantity | Discounted price per piece (incl. of all taxes) |
|-----------------------|----------|-------------------------------------------------|
| <input type="radio"/> | 2-3      | ₹23,980.14                                      |
| <input type="radio"/> | 4-5      | ₹23,740.53                                      |
| <input type="radio"/> | 6-7      | ₹23,500.93                                      |
| <input type="radio"/> | 8-more   | ₹23,341.19                                      |

ADD TO CART

BUY NOW

  
 Request a  
Callback

  
 Get Customized  
Price

  
 Connect with a  
Product Expert

## Check Delivery Details

Enter Pincode

Check

PREPAID

Available

PART COD

Unavailable

COD

Available

RETURN

 Available  
Return  
period 7  
days
